

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	821	324/253,249,258.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/05 14:51
S1	26	CHOI-WON-YOUL.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 15:49
S2	68	CHOI-SANG-ON.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 22:45
S3	16	HWANG-JUN-SIK.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 15:55
S4	27	KANG-MYUNG-SAM.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 15:58
S5	33	("20010030537" "20020013005" "4272724" "4646015" "4995165" "5199178" "5672967" "5936403" "6270686" "6270889" "627827" 2" "6407547" "6411086" "6414564" "66901" 64" "6747450").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 20:29
S6	5	("4864238" "6407547").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 16:32
S7	8	("2321355" "2971151" "4623842" "5199178" "5479099" "6429651").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/04 16:09
S8	440	324/253.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 16:33

S9	158	S8 and (perpendicular orthogonal normal "90" near degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:19
S10	10	"6270686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:30
S12	6862	324/244,253,258,249,260.ccls. 438/3,48,14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:34
S13	10	S2 and pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 22:11
S14	17	S8 and pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:46
S15	221	324/249.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:46
S16	23	S15 and pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 18:53
S17	133	S12 and (pad electrical near3 connection) same (cpu computer micro\$1processor micro\$1controller external adj (device circuit) evaluation adj (device circuit unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 19:03
S18	130	(pad electrical near3 connection) same (cpu computer micro\$1processor micro\$1controller external adj (device circuit) evaluation adj (device circuit unit)) and (core ferromagnet\$2 yoke) and coil near3 (pattern\$3 etch\$3 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/05 14:51

S21	188	S12 and (rectang\$7 square) near3 (core ferromaget\$2 magnet\$3 yoke flux adj guide pole adj piece iron ferr\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 20:11
S22	10	feni with (soft with core permallow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/04 20:33